

5

CLAIMS

I claim:

1. A personal water transport assembly comprising:

10 a floatation assembly including at least one elongate hollow floatation member having top, side, and bottom walls, and also having a foot-receiving slot being centrally-disposed in said top wall for receiving a user's foot; and

a means of moving said at least one elongate hollow floatation member upon water.

15

2. The personal water transport assembly as described in claim 1, wherein said floatation assembly further includes a foot-retaining member being disposed in said foot-receiving slot of said at least one elongate hollow floatation member.

20

3. The personal water transport assembly as described in claim 2, wherein said at least one elongate hollow floatation member has rounded front and back ends, and is adapted for the user to stand upon and move with one's leg upon the water.

25

4. The personal water transport assembly as described in claim 3, wherein said at least one elongate hollow floatation member is substantially narrow relative to its length.

30

5. The personal water transport assembly as described in claim 4, wherein said foot-retaining member is a padded bar being spaced above a bottom wall and being attached to side walls

defining said foot-receiving slot so that the user can place a front portion of one's foot under said padded bar.

6. The personal water transport assembly as described in
5 claim 4, wherein said foot-retaining member includes bracket
members being securely attached to a bottom wall defining said
foot-receiving slot, and also includes a foot pedal member being
hingedly attached to said bracket members so that the user can
oscillate back and forth to facilitate movement of said at least one
10 elongate hollow floatation member.

7. The personal water transport assembly as described in
claim 4, wherein said means of moving said at least one elongate
hollow floatation member upon water includes at least one fin
15 member being securely attached to said bottom wall of said at least
one elongate hollow floatation member and depending therefrom,
and also includes paddle members being hingedly attached to said
at least one fin member, and further includes stopper members
being attached to said fin member and extending outwardly to either
20 side thereof to stop forward movement of said paddle members.

8. The personal water transport assembly as described in
claim 7, wherein said paddle members have front edges which are
hingedly attached to said at least one fin member for forward and
25 rearward movement.

9. The personal water transport assembly as described in
claim 8, wherein said at least one fin member is hingedly attached
to said bottom wall of said at least one elongate hollow floatation

member for pivoting toward and away from said bottom wall of said at least one elongate hollow floatation member.

10. The personal water transport assembly as described in
5 claim 7, wherein said means of moving said at least one elongate hollow floatation member upon water includes a motor being disposed in said at least one elongate hollow floatation member, and also includes a rotatable shaft being attached to said motor and being extended through an opening through said bottom wall and
10 near said back end of said at least one elongate hollow floatation member, and further includes a propeller being attached to a free end of said rotatable shaft, and also includes an exhaust pipe member being attached to said motor and extending through a hole in a cover member being removably disposed over an opening
15 through said top wall of said at least one elongate hollow floatation member, and further includes an air intake valve being disposed in said cover member for providing air to said motor, and also includes a power switch being connected to said motor and being adapted to be held in a hand of the user for energizing said motor.

20

11. The personal water transport assembly as described in claim 7, wherein said at least one elongate hollow floatation member includes two elongate hollow floatation members, said floatation assembly further including a detachable seat assembly
25 being removably disposed upon said top wall of said elongate hollow floatation members.

12. The personal water transport assembly as described in claim 11, wherein said detachable seat assembly includes a seat
30 member, and seat support members being removably and engagably

disposed in said top wall of said elongate hollow floatation members.

13. The personal water transport assembly as described in claim 12, wherein said means of moving said at least one elongate hollow floatation member upon water includes at least one oar member having an elongate handle portion and a paddle portion at an end thereof for moving said elongate hollow floatation members upon the water.

10

15

20

25

30

35

40